

The Philips logo is displayed in a white rounded rectangle on a blue background. The word "PHILIPS" is written in a bold, blue, sans-serif font.

MASTER LEDspot

Value



Quality, **value** and lifetime

You've got it in one with the new range of MASTER LEDspot Value lamps. They offer high quality at an affordable price with a 24, 36, 40 and 60 degree beam angle for general lighting applications. As a 20 W, 25 W, 35 W or 50 W equivalent, with a choice of three colour temperatures, dimmable options and a 25,000 or 35,000 hour lifetime, these lamps are everything you value in LED.

NEW



MASTER LEDspot MV Value / 4-25 W - 3.5-35 W



Product type	LED	Traditional	Lumen output	Efficacy	Beam intensity	Beam angle	CRI	Color temperature	EOC
MASTER LEDspot MV Value	W	W	lm	lm/W	cd	°		K	8718696
D 4-25W GU10 827 40D	4	25	200	50	400	40	80	2700	56296300
D 3.5-35W GU10 827 40D	3.5	35	200	57	400	40	80	2700	56298700
D 3.5-35W GU10 830 40D	3.5	35	265	76	550	40	80	3000	56302100
D 3.5-35W GU10 840 40D	3.5	35	265	76	350	40	80	4000	56306900
D 3.5-35W GU10 827 60D	3.5	35	275	79	550	60	80	2700	56300700
D 3.5-35W GU10 830 60D	3.5	35	275	79	350	60	80	3000	56304500
D 3.5-35W GU10 840 60D	3.5	35	290	83	550	60	80	4000	56308300

NEW



MASTER LEDspot MV Value / 5-50 W



Product type	LED	Traditional	Lumen output	Efficacy	Beam intensity	Beam angle	CRI	Color temperature	EOC
MASTER LEDspot MV Value	W	W	lm	lm/W	cd	°		K	8718696
D 5-50W GU10 827 40D	5	50	365	73	750	40	80	2700	56310600
D 5-50W GU10 830 40D	5	50	375	75	750	40	80	3000	56314400
D 5-50W GU10 840 40D	5	50	390	78	750	40	80	4000	56318200
D 5-50W GU10 827 60D	5	50	365	73	450	60	80	2700	56312000
D 5-50W GU10 830 60D	5	50	375	75	450	60	80	3000	56316800
D 5-50W GU10 840 60D	5	50	390	78	450	60	80	4000	56320500



MASTER LEDspot LV Value MR16 / 3.4-20 W



2700 / 3000



GU5.3



NON-DIMMABLE




25,000 H



EEL



10 PACK



BEAM ANGLE



DIMENSIONS

Product type	LED	Traditional	Lumen output	Efficacy	Beam intensity	Beam angle	CRI	Color temperature	EOC
MASTER LEDspot LV Value	W	W	lm	lm/W	cd	°		K	8718696
3.4-20W 827 MR16 24D	3.4	20	220	65	1000	24	80	2700	47570600
3.4-20W 830 MR16 24D	3.4	20	225	66	1000	24	80	3000	47576800
3.4-20W 827 MR16 36D	3.4	20	220	65	550	36	80	2700	47572000
3.4-20W 830 MR16 36D	3.4	20	225	66	600	36	80	3000	47574400



MASTER LEDspot LV Value MR16 / 6.3-35 W



2700 / 3000 / 4000



GU5.3



DIMMABLE



25,000 H



EEL



10 PACK



BEAM ANGLE



DIMENSIONS

Product type	LED	Traditional	Lumen output	Efficacy	Beam intensity	Beam angle	CRI	Color temperature	EOC
MASTER LEDspot LV Value	W	W	lm	lm/W	cd	°		K	8718696 8718291
D 6.3-35W 827 MR16 24D RN *)	6.3	35	380	60	1800	24	80	2700	49021100
D 6.3-35W 827 MR16 24D RS *)	6.3	35	380	60	1800	24	80	2700	44217300
D 6.3-35W 830 MR16 24D RN *)	6.3	35	395	63	1800	24	80	3000	49023500
D 6.3-35W 830 MR16 24D RS *)	6.3	35	395	63	1800	24	80	3000	44219700
D 6.3-35W 840 MR16 24D RN *)	6.3	35	410	65	1800	24	80	4000	49025900
D 6.3-35W 840 MR16 24D RS *)	6.3	35	410	65	1800	24	80	4000	44221000
D 6.3-35W 827 MR16 36D RN *)	6.3	35	380	60	980	36	80	2700	49027300
D 6.3-35W 827 MR16 36D RS *)	6.3	35	380	60	980	36	80	2700	77533100
D 6.3-35W 830 MR16 36D RN *)	6.3	35	395	63	1000	36	80	3000	49029700
D 6.3-35W 830 MR16 36D RS *)	6.3	35	395	63	1000	36	80	3000	78543900
D 6.3-35W 840 MR16 36D RN *)	6.3	35	410	65	1000	36	80	4000	49031000
D 6.3-35W 840 MR16 36D RS *)	6.3	35	410	65	1000	36	80	4000	78545300

i Please refer to the site www.philips.com/masterledlamps for the latest information about dimming MASTER LEDlamps and about transformer compatibility.

*) **Note:** Some of the products are only available in specific countries.
 Product descriptions with 'RS' are only available in: France, Spain, Portugal, Italy, Greece and Israel.
 Product descriptions with 'RN' are only available in the rest of the European countries.



MASTER LEDspot LV Value MR16 / 8-50 W

NEW



2700 / 3000 / 4000



GU5.3



DIMMABLE




25,000 H



EEL



10 PACK



BEAM ANGLE



DIMENSIONS

Product type	LED	Traditional	Lumen output	Efficacy	Beam intensity	Beam angle	CRI	Color temperature	EOC
MASTER LEDspot LV Value	W	W	lm	lm/W	cd	°		K	8718696
D 8-50W 827 MR16 24D	8	50	621	78	2850	24	80	2700	57201600
D 8-50W 827 MR16 36D	8	50	621	78	1250	36	80	2700	57203000
D 8-50W 830 MR16 24D	8	50	621	78	2900	24	80	3000	57205400
D 8-50W 830 MR16 36D	8	50	621	78	1300	36	80	3000	57207800
D 8-50W 840 MR16 24D	8	50	630	79	2900	24	80	4000	57209200
D 8-50W 840 MR16 36D	8	50	630	79	1350	36	80	4000	57211500

