

PHILIPS

Showline

SL BAR 720ZT



Wash lights

SL BAR 720ZT

The SL BAR 720ZT is a high performance linear wash and effect luminaire.

DMX motorized zoom and tilt combined with powerful output make the SL BAR 720ZT an ideal solution for blended linear washes and distinctive dynamic beam effects.

Product data



Features and benefits

- 5000 lumens.
- Low power consumption – 420W maximum.
- 5.5–30° zoom range.
- High output saturated colors mid-air effects.
- Designed to withstand the riggers of the entertainment industry.
- Easy install utilizing detachable 1/2 turn Omega clamps for quick swap over from floor to hang.
- Easy removable front lens for infield cleaning.
- Two year limited warranty.


Source	RGBW LED
Qty of LED cells	6
Lumen output (max.)	5000
Color temperature	2700–6500K RGBW
CRI	>90
Beam angle	5.5–38°, 9.5–54° field
Tilt	220° @ 2.4s
Controls	DMX512-A / RDM, Art-Net™, local control
Dimming control	Electronic 16-bit
Pixel / zone control	1 / 6
DMX modes	RGBW 8-bit, RGBW 16-bit, HSIC
Macro effects	Pre-set filter colors, color chases, strobe and duration control
Color mixing	–
Color calibration	Yes
Software updates	Via PEGASUS
Accessories	–
Operating voltage	100–240VAC, 50/60Hz
Wattage (max.)	420W
IP rating	IP20
Cooling	Forced air
Cooling control	Auto / off
Operating temperature	0–40°C
Mounting position	Any
Finish	Black
Construction	Metal
Dimensions L x H x W	780 x 129 x 354mm (30.7 x 5.1 x 14in)
Hanging centers	780mm (31.1in)
Weight	19.0kg (42lb)
Warranty	2 years

Product data

Philips Showline SL BAR 720ZT

Color temp	CRI	Wattage	Beam	Overall dimensions W x H x D	Weight	Order Code
2700-6500K	>90	420W	5.5-38° 9.5-54° field	780 x 129 x 354mm (30.7 x 5.1 x 14in)	9.0kg (42lb)	88-095-6682-36

Dimensional drawing





© Philips Lighting Holding B.V. 2017. All rights reserved. Philips reserves the right to make changes in specification and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

philips.com/showline

04/2017

Data subject to change. All measurements quoted primarily in millimeters.