Supplier Declaration of Conformity (SDoC) In accordance with ISO/IEC 17050-1:2004

Issuer details Issuer details Issue full Row Zealand munde fuerer or importer) Contact Address Philips Lighting NZ Ltd New Zealand Company Number (if applicable) Includes TL-D and TL-S models Includes TL-D Inclume TL-S models Includes TL-S models I	SDoC identification Number ¹ -				
Philips Lighting NZ Ltd Level 2 1 Nugent Street Grafton Auckland City Totagent Street Grafton Auckland City Grafton Auckland City Telephone Fax Email address 09 355 4700 09 355 4706 Imagent Street Grafton Auckland City Imagent Street Grafton Auckland City Medium Risk Article – Details ¹ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Imagent Street Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-5 models TCS125-All Variants Imagent Street TCS125-All Variants The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- As/Arz5 60588.1:1988 & As/Nz5 60598.1:1098 Standard number & issue year:- As/Arz5 60598.2:1:1988 & As/Nz5 60598.1:003 Standard Title:- Edition / Amendment status:- As/Nz5 2Z modified Y Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Y Names and addresses of any testing organisation or body Addresses Issue date(s) Names and addresses of any testing organisation or body Addresses Issue date(s) Names and addresses of any testing organisation or body Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Issue date(s) <	Issuer details				
1 Nugent Street Grafton Auckland City 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1723 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720 1720					
New Zealand Company Number (if applicable) Grafton 1723 Auckland City Telephone Fax Email address 09 355 4700 09 3554706 Medium Risk Article – Detalls ³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-S models TCS125-All Variants The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- AS/NZS 60598.1:1998 & AS/NZS 60598.1:2003 Standard Title:- Edition / Amendment status: AS/NZS 2Z modified Y Edition / Amendment status: AS/NZS 2Z modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Names and adresses of any testing organisation or body Name sid addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland rest RePORT 5313 Inclusion Iter Herdure function Signed for and on behalf of: Papilance Sould with whe requirements of Regulation 82 of the Electricity (Safety) Regulations 22 of the sauch or sauchrized by the issuer Standard Title: Signed for and on behalf of:	Philips Lighting NZ Ltd		Level 2		
1723 Auckland City Telephone Fax Email address 09 355 4700 09 35554706 Email address Medium Risk Article – Details ¹ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Fixed Luminaire Modella Fluorescent Range The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- Standard number & issue year: Standard number & issue year:- AS/NZS 60598.1:003 Standard Title:- Edition / Amendment status: AS/NZS 2Z modified Y Por complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Repertore to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- Standard is achieved:- Test RePORT 5313 Interflow define that the above specified fittings or electrical appliance complexity with merganements of Regulation 83 of the Electricity (Safety) Regulations 210. Philipping in the interpartments of Regulation 83 of the Electricity (Safety) Regulations 210. Mark in the above specified fittings or			1 Nugent Street		
Fax Email address 09 355 4700 09 3554706 Medium Risk Article – Details ³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-5 models TCS125-All Variants The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard Title: Standard Title:- Edition / Amendment status:- A5/N25 2Z modified Y Pdivantes and addresses of any testing organisation or body Name(s) Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Itel standard is achieved:- Report/Certification, that show how compliance is achieved:-		cable)	Grafton		
Telephone Fax Email address 09 355 4700 09 355 4706 Includes a separation of the second seco	1723				
09 355 4700 09 355 4706 Medium Risk Article – Details ³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-5 models The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & Issue year:- Standard number & Issue year:- 8/12/2011 Standard number & Issue year:- 8/12/2011 Standard Title:- Edition / Amendment status:- As/NZS SZ modified Y Edition / Amendment status:- As/NZS ZZ modified Y Names and addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- Standard is achieved:- Standard is achieved:- Report/Certification or Document reference Issue date(s) Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Reference to any management systems involved:- Report/Certification or Document reference Issue date(s) Reference to any management systems involved:- Additiona ^T information <					
Medium Risk Article. Details ³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable) Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-5 models TCS125-All Variants The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- Standard number & issue year: Standard number & issue year:- A/R25 60598.1:2003 \$tandard Title:- Edition / Amendment status: AS/N25 2Z modified Y Edition / Amendment status: AS/N25 ZZ modified Y Names and addresses of any testing organisation or body Names Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Ntels standard is achieved:- Report/Certification or Document reference Issue date(s) Reference to any management systems involved:- Address(as) 8/12/2011 Cectaation Signed for and on behalf of: PHUPS LiGHTING RZ LTD I hereby declare that the above specified fitings or electrical applances songly with the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 UI Signed for and on beha			Email address		
Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-5 models The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard Title:- Standard number & issue year:- Standard number & issue year:- Edition / Amendment status:- As/N25 ZZ modified Y Edition / Amendment status:- As/N25 ZZ modified Y Anses and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Address(es) Include as applicable) Standard(s) or document(s) used, to show how compliance with Report/Certification, that show how compliance is achieved:- Standard(s) or document(s) used, to show how compliance with Report/Certification or Document reference Issue date(s) N*(s):- Signed for and on behalf of: Signed for and on behalf of: PhiLIPS LIGHTING NZ LTD </td <td colspan="2">09 355 4700 09 3554706</td> <td></td> <td></td>	09 355 4700 09 3554706				
Fixed Luminaire Modella Fluorescent Range TCS125-All Variants Includes TL-D and TL-5 models The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard number & issue year:- Standard Title:- Standard number & issue year:- Standard number & issue year:- Edition / Amendment status:- As/N25 ZZ modified Y Edition / Amendment status:- As/N25 ZZ modified Y Anses and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Address(es) Include as applicable) Standard(s) or document(s) used, to show how compliance with Report/Certification, that show how compliance is achieved:- Standard(s) or document(s) used, to show how compliance with Report/Certification or Document reference Issue date(s) N*(s):- Signed for and on behalf of: Signed for and on behalf of: PhiLIPS LIGHTING NZ LTD </td <td></td> <td></td> <td></td> <td></td>					
Includes TL-D and TL-5 models The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- AS/NZ5 60598.1:2003 Standard number & issue year:- AS/NZ5 60598.1:2003 Standard number & issue year:- Standard number & issue year:- AS/NZ5 60598.1:2003 Standard Title:- Edition / Amendment status:- AS/NZ5 ZZ modified Y Feltion / Amendment status:- Association or complication or body Names Spectrum Laboratories I/25 Highbrook Dr East Tamaki Auckland Standard(s) or document(s) used, to show how compliance with Reference					
The Medium Risk Article, listed above, fully complies with the cited standard(s), as listed:- Standard number & issue year:- Standard number & issue year:- AS/NZS 60598.2.1:1998 & AS/NZS 60598.1:2003 Standard number & issue year:- Standard Title:- Standard Title:- Edition / Amendment status:- AS/NZS ZZ modified Y Fedition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Names and addresses of any testing organisation or body Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) N*(s):- Bs/12/2011 Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Standard(s) or document systems involved:- Reference to any management systems involved:- Additional* information Signed for and on behalf of: PHILIPS LIGHTING NZ LTD PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad Standard(s) or plation is on the systema involved in the issuer Steve Snoad <td colspan="4">Fixed Luminaire Modella Fluorescent Range TCS125-All Variants</td>	Fixed Luminaire Modella Fluorescent Range TCS125-All Variants				
Standard number & issue year:- AS/NZS 60598.1:2003 Standard number & issue year:- 8/12/2011 Standard Title:- Standard Title:- Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) AS/NZS ZZ modified Y Names and addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Standard(i) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 Inclusion or Document reference Issue date(s) Reference to any management systems involved:- Additional ⁴ information Signed for and on behalf of: PHILUPS LIGHTING NZ LTD PHILUPS LIGHTING NZ LTD Name ⁸ & position, as authorized by the issuer Steve Snoad 9/12/2011	Includes TL-D and TL-5 models				
Standard number & issue year:- AS/NZS 60598.1:2003 Standard number & issue year:- 8/12/2011 Standard Title:- Standard Title:- Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) AS/NZS ZZ modified Y Names and addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Standard(i) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 Inclusion or Document reference Issue date(s) Reference to any management systems involved:- Additional ⁴ information Signed for and on behalf of: PHILUPS LIGHTING NZ LTD PHILUPS LIGHTING NZ LTD Name ⁸ & position, as authorized by the issuer Steve Snoad 9/12/2011					
Standard number & issue year:- AS/NZS 60598.1:2003 Standard number & issue year:- 8/12/2011 Standard Title:- Standard Title:- Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) AS/NZS ZZ modified Y Names and addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Standard(i) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 Inclusion or Document reference Issue date(s) Reference to any management systems involved:- Additional ⁴ information Signed for and on behalf of: PHILUPS LIGHTING NZ LTD PHILUPS LIGHTING NZ LTD Name ⁸ & position, as authorized by the issuer Steve Snoad 9/12/2011					
Standard number & issue year:- AS/NZS 60598.1:2003 Standard number & issue year:- 8/12/2011 Standard Title:- Standard Title:- Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) AS/NZS ZZ modified Y Names and addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Standard(i) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 Inclusion or Document reference Issue date(s) Reference to any management systems involved:- Additional ⁴ information Signed for and on behalf of: PHILUPS LIGHTING NZ LTD PHILUPS LIGHTING NZ LTD Name ⁸ & position, as authorized by the issuer Steve Snoad 9/12/2011					
Standard number & issue year:- AS/NZS 60598.1:2003 Standard number & issue year:- 8/12/2011 Standard Title:- Standard Title:- Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) AS/NZS ZZ modified Y Names and addresses of any testing organisation or body Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Standard(i) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 Inclusion or Document reference Issue date(s) Reference to any management systems involved:- Additional ⁴ information Signed for and on behalf of: PHILUPS LIGHTING NZ LTD PHILUPS LIGHTING NZ LTD Name ⁸ & position, as authorized by the issuer Steve Snoad 9/12/2011	The Medium Risk Article listed above fully complies with the cited standard(s) as listed.				
Standard Title: Standard Title: Edition / Amendment status: AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (belete as applicable) Names and addresses of any testing organisation or body Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 8/12/2011 Reference to any management systems involved:- B/12/2011 Additional ⁴ information Declaration Image for and on behalf of: PHILUPS LIGHTING NZ LTD PHILUPS LIGHTING NZ LTD Name ⁸ & position, as authorized by the issuer Steve Snoad 9/12/2011					
Edition / Amendment status:- AS/NZS ZZ modified Y Edition / Amendment status:- AS/NZS ZZ modified Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Address(es) Sector Name(s) Address(es) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland	-		8/12/2011		
Instrument Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Name(s) Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) reference to any management systems involved:- Additional ⁴ information Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety)	Standard Title:-		Standard Title:-		
Instrument Y Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable) Name(s) Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Reference to relevant test reports/certification, and issue date of the reports/certification or Document reference Issue date(s) reference to any management systems involved:- Additional ⁴ information Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety) Regulations 20 of the requirements of Regulation 83 of the Electricity (Safety)		ſ			
Names and addresses of any testing organisation or body Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 8/12/2011 8/12/2011 Reference to any management systems involved:- Additional ⁴ information Signed for and on behalf of: Declaration Signed for and on behalf of: PHILIPS LIGHTING NZ LTD Here's gostion, as authorized by the issuer Signed 50 x 0000 x 0000 x 0000 x 0000 x 00000 x 0000 x 0000 x 0000 x 0000 x 0000 x 00000 x 0000 x 0000 x 0000 x 0000 x 0000 x 00000 x 00000 x 0000 x 00000 x 000000	Edition / Amendment status:-	AS/NZS ZZ modified Y	Edition / Amendment status:-		
Name(s) Address(es) Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference Issue date(s) TEST REPORT 5313 8/12/2011 Reference to any management systems involved:- 8/12/2011 Additional ⁴ information Signed for and on behalf of: Peclaration Signed for and on behalf of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	Or complies with the Conformity Cooperation Agreement - Yes / No (Delete as applicable)				
Spectrum Laboratories 1/25 Highbrook Dr East Tamaki Auckland Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference is achieved:- TEST REPORT 5313 8/12/2011 Reference to any management systems involved:- 8/12/2011 Additional ⁴ information 9/12/2011 Declaration Signed for and on behalf of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer 9/12/2011					
Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:- Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference N°(s):- Issue date(s) TEST REPORT 5313 8/12/2011 TEST REPORT 5313 8/12/2011 Reference to any management systems involved:- Additional ⁴ information Declaration Ihereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2011 Signed for and on behalf of: PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	Name(s)		Address(es)		
Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference N°(s):- Issue date(s) TEST REPORT 5313 8/12/2011 8/12/2011 TEST REPORT 5313 Image: Standard is achieved:- 8/12/2011 Reference to any management systems involved:- Image: Standard is achieved:- Image: Standard is achieved:- Additional ⁴ information Image: Standard on behalf of: Image: Standard on behalf of: Declaration Signed for and on behalf of: Image: Standard of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: Image: Steve Snoad 9/12/2011	Spectrum Laboratories		1/25 Highbrook Dr East Tamaki Auckland		
Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference N°(s):- Issue date(s) TEST REPORT 5313 8/12/2011 8/12/2011 TEST REPORT 5313 Image: Standard is achieved:- 8/12/2011 Reference to any management systems involved:- Image: Standard is achieved:- Image: Standard is achieved:- Additional ⁴ information Image: Standard on behalf of: Image: Standard on behalf of: Declaration Signed for and on behalf of: Image: Standard of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: Image: Steve Snoad 9/12/2011					
Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference N°(s):- Issue date(s) TEST REPORT 5313 8/12/2011 8/12/2011 TEST REPORT 5313 Image: Standard is achieved:- 8/12/2011 Reference to any management systems involved:- Image: Standard is achieved:- Image: Standard is achieved:- Additional ⁴ information Image: Standard on behalf of: Image: Standard on behalf of: Declaration Signed for and on behalf of: Image: Standard of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: Image: Steve Snoad 9/12/2011					
Standard(s) or document(s) used, to show how compliance with cited standard is achieved:- Report/Certification or Document reference N°(s):- Issue date(s) TEST REPORT 5313 8/12/2011 8/12/2011 TEST REPORT 5313 Image: Standard is achieved:- 8/12/2011 Reference to any management systems involved:- Image: Standard is achieved:- Image: Standard is achieved:- Additional ⁴ information Image: Standard on behalf of: Image: Standard on behalf of: Declaration Signed for and on behalf of: Image: Standard of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: Image: Steve Snoad 9/12/2011	Reference to relevant test reports/certification, and issue date of the reports/certification, that show how compliance is achieved:-				
TEST REPORT 5313 8/12/2011 Reference to any management systems involved:-					
TEST REPORT 5313 Image: Comparison of the systems involved:- Reference to any management systems involved:- Image: Comparison of the systems involved:- Additional ⁴ information Image: Comparison of the systems of the syst	cited standard is achieved:-		N°(s):-	- /	
Additional ⁴ information Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	TEST REPORT 5313			8/12/2011	
Additional ⁴ information Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011					
Additional ⁴ information Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011					
Declaration Signed for and on behalf of: I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 Signed for and on behalf of: PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	Reference to any management systems involved:-				
I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	Additional ⁴ information				
appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	Declaration				
appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010 PHILIPS LIGHTING NZ LTD Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011	I hereby declare that the above specified	fittings or electrical	Signed for and on behalf of:		
Name ⁵ & position, as authorized by the issuer Steve Snoad 9/12/2011		•			
PHILIPS Steve Snoad 9/12/2011	Electricity (Safety) Regulations 2010				
Steve Snoad 9/12/2011	DL		wante & position, as authorized by the issuer		
Issuer Identification: Signature Date			Steve Snoad	9/12/2011	
	Issuer Identification:		Signature Date		

¹ Every declaration of conformity should be uniquely identified.
 ² The responsible issuer must be unequivocally specified.

³ The "Article" must be unequivocally specified. ⁴ Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.

- ⁵ Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of
- signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organization.

(as affixed to the article).	9/12/2011

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article:- this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

Listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles, can be found at: <u>http://www.energysafety.govt.nz/templates/MultipageDocumentTOC</u>___24889.aspx within the Energy Safety website: <u>http://www.energysafety.govt.nz</u>

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

THIS COMPLETED FORM REMAINS WITH THE ISSUER AS PART OF THE DOCUMENTATION REQUIRED AS EVIDENCE OF COMPLIANCE DO NOT SUBMIT A COPY OF THIS FORM TO ENERGY SAFETY, UNLESS SPECIFICALLY REQUESTED TO DO SO