



In this release the following items were changed (compared to the previous version):

CHANGES

1. Added:

- Support for
 - o new (versions of) LED devices

Device Name	12NC
Xi BP 12W 0.1-0.5A 230V C100 1.0	9290 016 57106
Xi LP 65W 0.3-1.05A S1 230V I150 1.1	9290 014 73980
Xi LP 65W 0.3-1.05A S1 230V I150C 1.1	9290 014 80880
Xi LP 65W 0.3-1.05A S1 TWE I175 1.1	9290 014 74080
Xi LP 65W 0.5-1.5A S1 230V I150 1.1	9290 014 74180
Xi LP 65W 0.5-1.5A S1 230V I150C 1.1	9290 014 80980
Xi FP 75W 0.2-0.7A SNLCDAE 230V S240 sX 2.0	9290 016 78506
Xi FP 75W 0.3-1.0A SNLCDAE 230V S240 sX 2.0	9290 016 78606
Xi FP 150W 0.2-0.7A SNLCDAE 230V S240 sX 2.0	9290 016 78706
Xi FP 150W 0.3-1.0A SNLCDAE 230V S240 sX 2.0	9290 016 78806
Xitanium 36W/m 0.3-1.05A 54V TD 230V 1.14	9290 014 19106

IMPORTANT NOTICE

Make sure that also the extra conditions are fulfilled:

- Put the *Power mode* of your PC on better or best performance.
- The correct Microsoft Windows version,
 - o No Windows XP support

More information available on the website www.Philips.com/MultiOne

The MultiOne software is tested on a wide variety of virus scanners (latest versions), no issues detected.



Document: 29-10-2018
No: RNW5 2018
Author: L. Janssens

©2017 Philips Lighting Holding B.V. All rights reserved. This document contains information relating to the Philips Lighting portfolio, intended for companies who may be interested in developing their product offering. Note that the information provided is subject to change. Philips Lighting does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract.