



12W 1600lm

(4ft.)

16.5W 2100lm

(4ft.)

15 W 2100 lm

(4 ft.)

## **Applicable Part Numbers:**

452011	453597	456590
452029	453605	456608
452037	453613	456616
452045	434860	456624
452052	434878	452664
452060	434886	452672
452078	434894	452680
452086	456897	452698
433060	456905	456632
433268	456913	456640
433078	456921	456657
433086	456566	
453589	456574	

17W 2100 lm

(4 ft. Glass)

16.5W 2100lm

(U- Bent)3

## T8 Instant-Start

8.5W 1050lm

(2 ft.)

10.5W 1200lm

(3ft.)

Ballasts		452011, 452029 452037, 452045	452052, 452060 452078, 452086	433060, 433268 433078, 433086	453589, 453597 453605, 453613	434860, 434878, 434886, 434894,	456897, 456905 456913, 456921	456566, 456574 456590, 456608 456616, 456624	452664, 452672, 452680, 452698
Manufacturer	Ballast Model	System Certified <sup>1</sup> / Certified <sup>2</sup>							
Philips Advance	ICN-1P32-N	System Certified							
Philips Advance	ICN-2P32-N	System Certified							
Philips Advance	ICN-3P32-N	System Certified							
Philips Advance	ICN-4P32-N	System Certified							
Philips Advance	IOPA-1P32-N	Not Recommended	System Certified	Not Recommended	System Certified	Not Recommended	Not Recommended	Not Recommended	Not Recommended
Philips Advance	IOPA-2P32-N	System Certified							
Philips Advance	IOPA-3P32-N	System Certified							
Philips Advance	IOPA-4P32-N	System Certified							
Philips Advance	IOPA-2P32-LW-N	System Certified							
Philips Advance	IOPA-3P32-LW-N	System Certified							
Philips Advance	IOPA-4P32-LW-N	System Certified							
Philips Advance	IOPA-1P32-HL-N	System Certified		System Certified					
Philips Advance	IOPA-2P32-HL-N	System Certified							
Philips Advance	IOPA-3P32-HL-N	System Certified							
Philips Advance	IOPA-4P32-HL-SC	System Certified							
Philips Advance	GOPA-1P32-SC	System Certified							
Philips Advance	GOPA-2P32-SC	System Certified							
Philips Advance	GOPA-3P32-SC	System Certified							
Philips Advance	GOPA-4P32-SC	System Certified							
Philips Advance	GOPA-1P32-LW-SC	System Certified							
Philips Advance	GOPA-2P32-LW-SC	System Certified							
Philips Advance	GOPA-3P32-LW-SC	System Certified							
Philips Advance	GOPA-4P32-LW-SC	System Certified							
Philips Advance	RES-2P32-N	System Certified							
Philips Advance	REB-2P32-SC	System Certified							
Philips Advance	REB-4P32-SC	System Certified	System Certified		System Certified	System Certified	System Certified	System Certified	

14.5W 1600lm

(4ft.)

See footnotes on Page 6.

T8 Instant-Start Ballasts		8.5W 1050lm 10.5W 1200lm (2 ft.) (3ft.)		14.5W 1600lm (4ft.)	12W 1600lm (4ft.)	16.5W 2100lm (4ft.)	15 W 2100 lm (4 ft.)	17W 2100 lm (4 ft. Glass)	16.5W 2100lm (U- Bent) <sup>3</sup>
		452011, 452029 452037, 452045	452052, 452060 452078, 452086	433060, 433268 433078, 433086	453589, 453597 453605, 453613	434860, 434878, 434886, 434894,	456897, 456905 456913, 456921	456566, 456574 456590, 456608 456616, 456624	452664, 452672, 452680, 452698
Manufacturer	Ballast Model	System Certified <sup>1</sup> / Certified <sup>2</sup>							
Fulham Co. Inc	WH3-120-L	System Certified			System Certified				
Fulham Co. Inc	WH3-277-L	System Certified			System Certified				
Fulham Co. Inc	WH5-120-L	System Certified							
Fulham Co. Inc	WH5-277-L	System Certified							
Fulham Co. Inc	WHSG1-UNV-T8-IS	Not Recommended	System Certified	System Certified	System Certified	System Certified			
Fulham Co. Inc	WHSG2-UNV-T8-IS	System Certified			System Certified				
Fulham Co. Inc	WHSG2-UNV-T8-LB		System Certified	System Certified	System Certified	System Certified			System Certified
Fulham Co. Inc	WHSG3-UNV-T8-IS	Not Recommended	Not Recommended	System Certified	System Certified	System Certified			
Fulham Co. Inc	WHSG3-UNV-T8-LB	Not Recommended	Not Recommended	System Certified	System Certified	System Certified			
Fulham Co. Inc	WHSG3-UNV-T8-HB	Not Recommended	Not Recommended	System Certified	System Certified	System Certified			
Fulham Co. Inc	WH42-UNV-L	System Certified			System Certified				
Fulham Co. Inc	WH43-UNV-L	Not Recommended	Not Recommended	System Certified	System Certified	System Certified			System Certified
Fulham Co. Inc	WH44-UNV-L	Not Recommended	Not Recommended	System Certified	System Certified	System Certified			System Certified
Fulham Co.Inc / Leviton	Zipline (361RC-Z03)	Not Recommended	Not Recommended	System Certified	System Certified	System Certified			
General Electric	GE-132-MV-N		Certified	Certified	Certified	Certified	Certified	Certified	
General Electric	GE-232-MV-N	Certified							
General Electric	GE-332-MV-N	Certified							
General Electric	GE-232-MV-N-DIY	Certified							
General Electric	GE-332-MV-N-DIY	Certified							
General Electric	GE-432-MV-N-DIY	Certified							
General Electric	GE232MAX-N/ULTRA	Certified	Certified		Certified	Certified	Certified	Not Recommended	Certified
General Electric	GE432MAX-N/ULTRA	Not Recommended	Certified	Certified					

Certified

Not Recommended

Certified

Not Recommended

Certified

Certified

Certified

Certified

Certified

Certified

Certified

Certified

Certified

See footnotes on Page 6.

General Electric

GE232MAX-L/ULTRA

GE332MAX-L/ULTRA

GE132MAX-H/ULTRA

GE232MAX-H/ULTRA

GE332MAX-H/ULTRA

GE432MAX-H/ULTRA

GE232MAX347-N

GE432MAX347-N

GE232-120RES-DIY

GE432-120RES-DIY

Certified

Not Recommended

Certified

Not Recommended

Certified

Certified

Certified

Certified

Certified

Certified

Certified

Certified

Certified

Not Recommended

Certified

Certified

Certified

Certified

Certified

T8 Instant-Start		8.5W 1050lm (2 ft.)	10.5W 1200lm (3ft.)	14.5W 1600lm (4ft.)	12W 1600lm (4ft.)	16.5W 2100lm (4ft.)	15 W 2100 lm (4 ft.)	17W 2100 lm (4 ft. Glass)	16.5W 2100lm (U- Bent) <sup>3</sup>
Ballasts		452011, 452029 452037, 452045	452052, 452060 452078, 452086	433060, 433268 433078, 433086	453589, 453597 453605, 453613	434860, 434878, 434886, 434894,	456897, 456905 456913, 456921	456566, 456574 456590, 456608 456616, 456624	452664, 452672, 452680, 452698
Manufacturer	Ballast Model	System Certified <sup>1</sup> / Certified <sup>2</sup>							
Osram Sylvania	QTP 1x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QTP 2x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QTP 3x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QTP 4x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QHE 1x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QHE 2x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QHE 3x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QHE 4x32T8/UNV ISN-SC	Certified							
Osram Sylvania	QHE 1x32T8/UNV ISL-SC	Certified							
Osram Sylvania	QHE 2x32T8/UNV ISL-SC	Certified							
Osram Sylvania	QHE 3x32T8/UNV ISL-SC	Certified							
Osram Sylvania	QHE 4x32T8/UNV ISL-SC	Certified							
Osram Sylvania	QHE 1x32T8/UNV ISH-SC	Certified							
Osram Sylvania	QHE 3x32T8/UNV ISH-SC	Not Recommended	Not Recommended	Not Recommended	Not Recommended	Certified	Certified	Certified	
Osram Sylvania	QHE 4x32T8/UNV ISH	Certified							
Osram Sylvania	QHE 1x32T8/UNV ISH HT SC	Certified							
Osram Sylvania	QHE 2x32T8/UNV ISH HT SC	Certified							
Osram Sylvania	QHE 1x32T8/UNV ISN-SC-1	Certified							
Osram Sylvania	QHE 2x32T8/UNV ISN-SC-1	Certified							
Osram Sylvania	QHE 3x32T8/UNV ISN-SC-1	Certified							
Osram Sylvania	QHE 4x32T8/UNV ISN-SC-1	Certified							
Osram Sylvania	QHE 2x32T8/UNV ISL-SC-1	Certified							
Osram Sylvania	QHE 4x32T8/UNV ISL-SC-1	Certified	Certified		Certified	Certified	Certified	Certified	
Ultrasave	UT232347	Certified							
Ultrasave	UT432347	Certified							
Universal Lighting Technologies	B132IUNVHP-N	Certified							
Universal Lighting Technologies	B232IUNVHP-N	Certified							
Universal Lighting Technologies	B332IUNVHP-A		Certified	Certified	Certified	Certified	Certified	Certified	
Universal Lighting Technologies	B432IUNVHP-A	Certified							
Universal Lighting Technologies	B132IUNVHE-A	Certified							
Universal Lighting Technologies	B232IUNVHE-A	Certified							
Universal Lighting Technologies	B332IUNVHE-A	Certified							
Universal Lighting Technologies	B432IUNVHE-A	Certified	Certified		Certified	Certified	Certified	Certified	
Universal Lighting Technologies	B132IUNVEL-A	Certified							
Universal Lighting Technologies	B232IUNVEL-A	Certified	Certified	Certified	Certified	Certified	Certified		Certified
Universal Lighting Technologies	B332IUNVEL-A	Certified							
Universal Lighting Technologies	B432IUNVEL-A	Certified	Certified		Certified	Certified	Certified	Certified	
Universal Lighting Technologies	B232IUNVHEH-A	Certified	Certified		Certified		Certified	Certified	
Universal Lighting Technologies	B332IUNVHEH-A	Certified	Certified		Certified	Certified	Certified	Certified	
Universal Lighting Technologies	B432I277HEH	Certified							

See footnotes on Page 6.

T8 Programmed-Start Ballasts (Fixed Output)		8.5W 1050lm (2 ft.)	10.5W 1200lm (3ft.)	14.5W 1600lm (4ft.)	12W 1600lm (4ft.)	16.5W 2100lm (4ft.)	15 W 2100 lm (4 ft.)	17W 2100 lm (4 ft. Glass)	16.5W 2100lm (U- Bent) <sup>3</sup>
		452011, 452029 452037, 452045	452052, 452060 452078, 452086	433060, 433268 433078, 433086	453589, 453597 453605, 453613	434860, 434878, 434886, 434894,	456897, 456905 456913, 456921	456566, 456574 456590, 456608 456616, 456624	452664, 452672, 452680, 452698
Manufacturer	Ballast Model	System Certified <sup>1</sup> / Certified <sup>2</sup>							
Philips Advance	IOP-2PSP32-N						System Certified		
Philips Advance	IOP-3PSP32-SC	System Certified							
Philips Advance	IOP-4PSP32-SC	System Certified							
Philips Advance	IOP-2PSP32-LW-N						System Certified		
Philips Advance	IOP-3PSP32-LW-SC	System Certified							
Philips Advance	IOP-4PSP32-LW-SC	System Certified							
Philips Advance	HOP-2PSP32-HL-L						System Certified		
Philips Advance	HOP-4PSP32-HL-G						System Certified		
General Electric	GE-232MVPS-XL						Certified		
General Electric	GE-332MVPS-XL						Certified		
General Electric	GE-132MVPS-L								
General Electric	GE-232MVPS-L								
General Electric	GE-332MVPS-L								
General Electric	GE-432MVPS-L								
General Electric	GE-132MVPS-N						Certified		
General Electric	GE-232MVPS-N	Certified	Certified	Certified	Certified	Certified	Certified		Certified
General Electric	GE-332MVPS-N	Certified	Certified	Certified	Certified	Certified	Certified		
General Electric	GE-432MVPS-N	Certified	Certified	Certified	Certified	Certified	Certified		
General Electric	GE-132MVPS-H						Certified		
General Electric	GE-232MVPS-H						Certified		
General Electric	GE-332MVPS-H						Certified		
General Electric	GE-432MVPS-H						Certified		
Osram Sylvania	QHE 1X32T8/UNV PSX-MC						Certified		
Osram Sylvania	QHE 1X32T8/UNV PSN-MC						Certified		
Osram Sylvania	QHE 2x32T8/UNV PSN-MC	Certified	Certified	Certified	Certified	Certified	Certified		Certified
Osram Sylvania	QHE 3x32T8/UNV PSN-SC	Certified	Certified	Certified	Certified	Certified	Certified		
Osram Sylvania	QHE 4x32T8/UNV PSN-SC	Certified	Certified	Certified	Certified	Certified	Certified		
Osram Sylvania	QHES 2X32T8/UNV PSL-SC						Certified		
Osram Sylvania	QHE 2X32T8/UNV PSH-HT						Certified		
Osram Sylvania	QHE 3X32T8/UNV PSH-HT-SC						Certified		
Osram Sylvania	QHE 4X32T8/UNV PSH-HT						Certified		
Universal Lighting Technologies	B232PUNVHE-B	Certified	Certified	Certified	Certified	Certified	Certified		Certified
Universal Lighting Technologies	B332PUNVHE-A	Certified	Certified	Certified	Certified	Certified	Certified		
Universal Lighting Technologies	B432PUNVHE-A	Certified	Certified	Certified	Certified	Certified	Certified		
Universal Lighting Technologies	B232PUNVHEH-A						Certified		

See footnotes on Page 6.

## T8 Programmed-Start Ballasts (Dimmable)

15 W 2100 lm (4 ft.)

456897, 456905, 456913, 456921

Manufacturer	Ballast Model	System Certified¹/ Certified²	Remarks
Philips Advance	IZT-2S32-SC	System Certified	Use Compatible 0-10V dimmer
Philips Advance	IZT-4S32	System Certified	Use Compatible 0-10V dimmer
Philips Advance	REZ-132-SC	System Certified	Use Compatible Mark 10 dimmer
Philips Advance	VEZ-132-SC	System Certified	Use Compatible Mark 10 dimmer
Philips Advance	REZ-2S32-SC	System Certified	Use Compatible Mark 10 dimmer
Philips Advance	VEZ-2S32-SC	System Certified	Use Compatible Mark 10 dimmer
Philips Advance	REZ-3S32-SC	System Certified	Use Compatible Mark 10 dimmer
Philips Advance	VEZ-3S32-SC	System Certified	Use Compatible Mark 10 dimmer
General Electric	GE132MVPSN-V03	Certified	Use Compatible 0-10V dimmer
General Electric	GE232MVPSN-V03	Certified	Use Compatible 0-10V dimmer
General Electric	GE332MVPSN-V03	Certified	Use Compatible 0-10V dimmer
General Electric	GE432MVPSN-VO3	Certified	Use Compatible 0-10V dimmer
General Electric	GE232MVPSH-V03	Certified	Use Compatible 0-10V dimmer
General Electric	GE332MVPSH-V03	Certified	Use Compatible 0-10V dimmer
General Electric	GE432MVPSH-V03	Certified	Use Compatible 0-10V dimmer

## **PL-L Instant-Start Ballasts**

16.5 W 2100 lm (PL-L 2 ft.)

456632, 456640, 456657

Manufacturer	Ballast Model	System Certified <sup>1</sup> / Certified <sup>2</sup>		
Philips Advance	ICN-1TTP40-SC	System Certified		
Philips Advance	ICN-2TTP40-SC	System Certified		
Philips Advance	ICN-3TTP40-SC	System Certified		
General Electric	GE140MAX-A	Certified		
General Electric	GE240MAX-A	Certified		
General Electric	GE340MAX-A	Certified		
Osram Sylvania	QHE1X40DL/UNV ISN-SC	Certified		
Osram Sylvania	QHE2X40DL/UNV ISN-SC	Certified		
Osram Sylvania	QHE3X40DL/UNV ISN-SC	Certified		

Emergency Ballasts <sup>6</sup>		8.5W 1050lm (2 ft.)	10.5W 1200lm (3ft.)	14.5W 1600lm (4ft.)	12W 1600lm (4ft.)	16.5W 2100lm (4ft.) 434860, 434878,	15 W 2100 lm (4 ft.)	17W 2100 lm (4 ft. Glass) 456566, 456574	16.5W 2100lm (U- Bent) <sup>3</sup>	16.5 W 2100 lm (PL-L 2 ft.)	
Danas			452011, 452029 452037, 452045	452052, 452060 452078, 452086	433060, 433268 433078, 433086	453589, 453597 453605, 453613	434886, 434894,	456897, 456905 456913, 456921	456590, 456608 456616, 456624	452664, 452672, 452680, 452698	456632, 456640 456657
Manufacturer	Emergency Ballast Model	# of lamps in Emergency	System Certified <sup>1</sup> / Certified <sup>2</sup>								
Philips Bodine	(new) B50 (12NC: 913702456401)	1	System Certified								
Philips Bodine	LP600	1	System Certified								
Philips Bodine	LP600STU	1	Not Recommended	Not Recommended	System Certified						
Philips Chloride	DEB-6LP	1	System Certified								
Fulham	FH7-UNV-500L	1	System Certified			System Certified	System Certified				
Fulham	FH11-UNV-750L-xx	1	System Certified			System Certified	System Certified				
Fulham	FH12-UNV-1400L-xx	1	System Certified			System Certified	System Certified				
lota Engineering	I-320	1 or 2	System Certified			System Certified	System Certified				
lota Engineering	I-160 <sup>5</sup>	1 or 2	System Certified			System Certified	System Certified				
lota Engineering	I-162	2	System Certified			System Certified	System Certified				
Iota Engineering	ISL-54	1 or 2	System Certified			System Certified	System Certified				
Iota Engineering	ISL-540	1 or 2	System Certified			System Certified	System Certified				

- 1. System performance (Philips InstantFit LED T8 lamp and ballast) has been evaluated by the lamp and ballast manufacturer.
- 2. System performance (Philips InstantFit LED T8 lamp and ballast) has been evaluated by the lamp manufacturer only.
- 3. Typical application for U-Bent Lamps is with 2-lamp ballasts.
- 4. Ballast tests are performed with a specific date code. Please contact the factory for date code information.
- 5. Connect BRN/BRN-W leads.
- 6. Please contact the emergency ballast manufacturer for wiring diagrams.
- \* Please contact Philips for questions about third party ballasts that are not on this list. Information in this document is subject to change without prior notice.











© 2015 Koninklijke Philips N.V. All rights reserved. Philips reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

07/15 philips.com



Philips Lighting North America Corporation 200 Franklin Square Drive, Somerset, NJ 08873 Tel. 855-486-2216

Imported by: Philips Lighting, A division of Philips Electronics Ltd. 281 Hillmount Rd, Markham, ON, Canada L6C 2S3 Tel. 800-668-9008