



A cost effective option for everyday lighting applications

The new Philips LED family delivers LED benefits at an extremely affordable price. With lifetimes 10 times longer than incandescents, instant-on light and an inviting lighting effect, these LEDs are a great replacement for the incandescents, halogens, and CFLs you use every day.*

LED replacements for many applications

- Traditional lamp shapes (A19, BR30 & PAR38)
- Available in a range of color temperatures
 - 2700K (A19, BR30)
 - 3000K / 5000K (PAR38)
 - 5000K (A19)
- Similar light output to the most popular conventional wattages:**
 - 60W & 100W A19
 - 65W BR30
 - 90W PAR38
- 10,000 hour rated life¹
- BR30 dims smoothly to <10%

See back for footnotes

Ordering, Electrical and Technical Data (Subject to change without notice)

Product Number	Model Number	Ordering Code	Description	Lamp Type	Base	Nom. Watts	Rated Life ¹	Approx. Lumens ²	CRI	Color Temp (K)
Standard Incandescent A19 60W Equivalent										
45809-1	9290011750	8.5A19/LED/827 ND 120V	60W Non-Dim	A19	E26	8.5	10,950	800	>80	2700
45561-8	9290011352	8A19/LED/850 ND 120V	60W Non-Dim	A19	E26	8	10,950	800	>80	5000
Standard Incandescent A19 100W Equivalent										
45568-3	9290011349	14.5A19/LED/827 ND 120V	100W Non-Dim	A19	E26	14.5	10,950	1500	>80	2700
45572-5	9290011351	14A19/LED/850 ND 120V	100W Non-Dim	A19	E26	14	10,950	1500	>80	5000
Standard Incandescent BR30 65W Dimmable Equivalent										
45810-9	9290011749	8BR30/LED/827/DIM 120V	65W Dim	BR30	E26	8	10,950	650	>80	2700
Standard Incandescent PAR38 90W Equivalent										
45799-3	929001174703	PAR38 11W LED 830 25D ND 120V	90W Non-Dim	PAR38	E26	11	10,000	950	>80	3000
46055-0	929001206203	PAR38 11W LED 850 25D ND 120V	90W Non-Dim	PAR38	E26	11	10,000	950	>80	5000

1. Rated average life based on engineering testing and probability analysis.
2. Based on photometric testing consistent with IES LM-79.

Footnotes from front:

- * When compared to a 1000 hour A19 incandescent, the 10,950 hour LED A19 lamp has more than 10 times the life.
- ** The 8W and 8.5W LED A19 lamps produce 800 lumens as compared to the 800 lumens produced by a 60W incandescent. The 14W and 14.5W LED A19 lamps produce 1500 lumens as compared to the 1600 lumens produced by a 100W incandescent. The 8W LED BR30 produces 650 lumens as compared to the 650 lumens produced by a 65W incandescent. The 11W LED PAR38 produces 4085 cd (candela) as compared to the 3698 cd produced by a 90W halogen.

Shipping Data (Subject to change without notice)

Product Number	SKU UPC (0-46677)	Outer Bar Code (5-00-46677)	Case Qty.	Case Weight (lbs.)	Case Cube (cu. Ft.)	Pallet Qty	SKUs per Layer	Layers High	SKU Dimensions (W x D x H) (In.)	Case Dimensions (W x D x H) (In.)	Pallet Dimensions (W x D x H) (In.)
Standard Incandescent A19 60W Equivalent											
45809-1	45809-6	45809-1	6	3.84	0.124	1764	252	7	2.5 x 2.5 x 4.4	7.8 x 5.4 x 5.1	47.2 x 39.4 x 41.5
45561-8	45561-3	45561-8	6	3.84	0.124	1764	252	7	2.5 x 2.5 x 4.4	7.8 x 5.4 x 5.1	47.2 x 39.4 x 41.5
Standard Incandescent A19 100W Equivalent											
45568-3	45568-2	45568-7	6	3.84	0.124	1764	252	7	2.5 x 2.5 x 4.4	7.8 x 5.4 x 5.1	47.2 x 39.4 x 41.5
45572-5	45572-9	45572-4	6	3.84	0.124	1764	252	7	2.5 x 2.5 x 4.4	7.8 x 5.4 x 5.1	47.2 x 39.4 x 41.5
Standard Incandescent BR30 65W Dimmable Equivalent											
45810-9	45810-2	45810-7	6	2.99	0.423	450	90	5	4.1 x 4.1 x 5.7	13 x 8.8 x 6.4	47.2 x 39.4 x 37.8
Standard Incandescent PAR38 90W Equivalent											
45799-3	45799-0	45799-5	6	10.6	0.641	270	54	5	5.2 x 5.2 x 5.8	15.9 x 10.8 x 6.4	47.2 x 39.4 x 38

© 2015 Koninklijke Philips N.V. All rights reserved. Philips reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.



Philips Lighting North America Corporation
200 Franklin Square Drive, Somerset, NJ 08873
Tel. 855-486-2216

Imported by: Philips Lighting
A division of Philips Electronics Ltd.
281 Hillmount Rd, Markham, ON, Canada L6C 2S3
Tel. 800-668-9008