



MASTER HPI-T Plus

MASTER HPI-T Plus 250W/645 E40 1SL

Quartz metal halide lamps with clear outer bulb

Product data

• General Characteristics

System Description	Horizontal [Horizontal Operating Position]
Cap-Base	E40
Bulb	T46 [T 46mm]
Bulb Finish	Clear
Operating Position	p20 [Parallel +/-20D or Horizontal(HOR)]
Life to 5% failures	5000 hr
Life to 10% failures	7500 hr
Life to 20% failures	11000 hr
Life to 50% failures	20000 hr

• Light Technical Characteristics

Color Code	645 [CCT of 4500K]
Color Rendering Index	65 Ra8
Color Designation (text)	Cool White
Color Temperature	4500 K
Luminous Flux Lamp EM	20500 Lm
Luminous Efficacy Lamp EM	84 Lm/W
Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	80 %
Lumen Maintenance 10000h	70 %
Lumen Maintenance 20000h	60 %
Chromaticity Coordinate X	365 -
Chromaticity Coordinate Y	377 -

• Electrical Characteristics

Lamp Wattage	250 W
Lamp Wattage EM	245 W
Lamp Voltage	128 V
Lamp Current EM	2.1 A
Ignition Time	10 (max) s
Dimmable	No

• Environmental Characteristics

Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content	36 mg
Energy consumption kWh/1000h	269 kWh

• Luminaire Design Requirements

Cap-Base Temperature	250 (max) C
Bulb Temperature	550 (max) C

• Product Dimensions

Overall Length C	255 (max) mm
Diameter D	47 (max) mm
Light Center Length L	155 mm
Arc Length O	29 mm

• Product Data

Order code	928481300097
Full product code	928481300097

PHILIPS

MASTER HPI-T Plus

Full product name MASTER HPI-T Plus 250W/645 E40 1SL
Order product name MASTER HPI-T Plus 250W/645 E40 1SL/12
Pieces per pack 1
Packing configuration 12
Packs per outerbox 12



Bar code on pack - EAN1 8718291676270
Bar code on outerbox - EAN3 8718291676287
Logistic code(s) - 12NC 928481300097
Net weight per piece 0.190 kg

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury or sodium lamps

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Dimensional drawing




E40

MASTER HPI-T Plus 250W/645 E40 1SL

Product	C (Max)	D (Max)	L (Norm)	O (Norm)
HPI-T Plus 250W/645 E40	255	47	155	29

Photometric data



© 2015 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, August 29
data subject to change